

ANT KILLER GRANULES

**KILLS ANTS, FLEAS, FIRE ANTS,
BROWN DOG TICKS, CRICKETS,
CHINCH BUGS, CUTWORMS,
BILLBUGS, EARWIGS, SOD
WEBWORMS, GRUBS AND OTHER
LISTED INSECTS.**

**FOR OUTDOOR RESIDENTIAL
USE ONLY.**

EPA Est. No. 4-NY-1

EPA Reg. No. 4-425

Buyers Guarantee Limited to Label Claims.

BONIDE PRODUCTS, INC.

6301 Sutliff Road

Oriskany, NY 13424

BN



1 lb.

Read entire label before use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Avoid contamination of food and feed. Utensils such as teaspoons and measuring cups should not be used for food purposes after use with insecticides. Do not allow children and pets to enter the treated area until dust has settled.

Two Easy Steps to use this Product

Step #1: Determine size of the job, measure the area to be treated.

Step #2: Treat as directed in rate chart. Thorough coverage is important. Water in granules where indicated.

Treatment Areas	Pests	Use Rate	How to Use
Band Treatment Around House Foundation	Ants, Asian Lady Beetles, Fleas, Boxelder Bugs, Brown Dog Ticks, Clover Mites, Crickets, Earwigs, Firebrats, Grasshoppers, Millipedes, Roaches, Silverfish, Sowbugs (Pillbugs), Spiders, Spider mites, Springtails (collembolan)	1 lb. per 500 sq. ft.	These pests are commonly found around or near foundations of houses, as well as in lawns. Certain of these pests may enter houses. Apply a 5-foot band of granules next to the house foundation. Distribute granules uniformly. Water lightly after application.
Spot Treatment	Ants	Apply 1½ teaspoons over and around each ant hill.	Water lightly after application.

Treatment Areas**Pests****Use Rate****How to Use**

Spot Treatment
continued

Fire Ants

Apply 1 cup over,
and 2 ft. around,
each fire ant mound

Water in thoroughly, immediately after application. A minimum of 1 gallon of water should be applied to each mound area. Apply gently to avoid disturbing ants. Use of high pressure watering equipment may disturb the ants and cause migration, reducing product effectiveness. Note: For best results, apply in early morning or late evening hours. Treat new mounds as they appear.

Treatment Areas	Pests	Use Rate	How to Use
<p>Overall Lawn Application for Grass and Dichondra Lawns</p>	<p>Ants, Armyworms, Brown Dog Ticks, Chinch Bugs, Clover Mites, Crickets, Cutworms, Earwigs, Fleas, Grasshoppers, Lawn Moths (Sod Webworms), Leafhoppers, Millipedes, Sowbugs</p>	<p>Apply 1 lb. per 500 sq. ft.</p>	<p>Apply when grass is dry. Water lawn lightly after application. Repeat as necessary.</p>

Treatment Areas	Pests	Use Rate	How to Use
<p>Overall Lawn Application for Grass and Dichondra Lawns, continued.</p>	<p>Billbugs, Grubs, Japanese Beetle Grubs, Dung Beetles (Ataenius Spretulus)</p>	<p>Apply 1 lb. per 400 sq. ft. or 4 oz. per 100 sq. ft.</p>	<p>Water grass thoroughly after application. For Billbug control, apply when activity is first observed or when chewed or brown grass indicates damage from these insects. For Grub control, except Dung Beetle, treat any time between late July and early October. For Dung Beetle Grub control, apply in spring or early summer when damage is first noticed. Water grass thoroughly with $\frac{1}{4}$ to $\frac{1}{2}$ inch of water after application. Treat again in late summer or early fall if a second generation occurs.</p>

STORAGE & DISPOSAL

STORAGE: Store product in original container in a locked storage area. Store and transport in an upright position.

DISPOSAL: *If empty* - Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled - Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

If in eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If swallowed

- Call a poison control center or doctor immediately for advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If on skin or clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

First Aid Cont.

If inhaled

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Caution: Harmful if absorbed through skin. Causes moderate eye irritation. Harmful if inhaled. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Environmental Hazards

This product is extremely toxic to fish. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in treated areas. Do not contaminate water when cleaning equipment or when disposing of equipment washwaters.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

DISCLAIMER: Buyer assumes all risks of use, storage or handling not in strict accordance with directions given herewith.