



Bonide Duraturf Winterizer 12-0-15

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Bonide Duraturf Winterizer 12-0-15
Product code : 60440

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Fertilizer

1.3. Details of the supplier of the safety data sheet

Bonide Products, LLC
6301 Sutliff Road
Oriskany, NY 13424

Telephone Number: (315) 736-8231

Comment: Bonide hours of operation are 8:00 a.m. to 4:30 p.m EST.

Website: www.bonide.com

Email address: sales@bonide.com

1.4. Emergency telephone numbers (24 hour)

Medical : SafetyCall - (833) 972-1101
Spills : CHEMTREC - 1 (800) 424-9300 and/or 1 (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Not classified

2.2. Label elements

GHS-US labeling

No labeling applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

Mixture

Name	Product identifier	%
Muriate of Potash	(CAS No) 7447-40-7	24.5
Urea	(CAS No) 57-13-6	19.5
Polymer Coated-Sulfur Urea	(CAS No) 57-13-6	7
Ferrous Sulfate	(CAS No) 7782-63-0	5
Copper Sulfate	(CAS No) 7758-98-7	0.25
Manganese Sulfate	(CAS No) 7785-87-7	0.2
Zinc sulfate	(CAS No) 7733-02-0	0.15
Sodium Borate	(CAS No) 1330-43-4	0.1
Sodium Molybdate	(CAS No) 10102-40-6	0.002

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Assure fresh air breathing. Allow the person to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Bonide Duraturf Winterizer 12-0-15

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ferrous Sulfate (7782-63-0)		
USA ACGIH	ACGIH TWA (mg/m ³)	1 mg/m ³
Manganese Sulfate (7785-87-7)		
USA ACGIH	ACGIH TWA (mg/m ³)	0.1 mg/m ³
Sodium Borate (1330-43-4)		
USA ACGIH	ACGIH TWA (mg/m ³)	2 mg/m ³
USA ACGIH	ACGIH STEL (mg/m ³)	6 mg/m ³

Bonide Duraturf Winterizer 12-0-15

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium Molybdate (10102-40-6)

USA ACGIH

ACGIH TWA (mg/m³)

0.5 mg/m³ (Molybdenum, Soluble compounds, as Mo; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction)

8.2. Exposure controls

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Wear approved mask.
Other information	: When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Multi-colored granules
Color	: Multi-colored
Odor	: Fertilizer odor
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Partially soluble.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

Bonide Duraturf Winterizer 12-0-15

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Urea (57-13-6)	
LD50 oral rat	8471 mg/kg (Rat)
LD50 dermal rat	> 3200 mg/kg (Rat)
LD50 dermal rabbit	> 21000 mg/kg (Rabbit)

Polymer Coated-Sulfur Urea (57-13-6)	
LD50 oral rat	> 14300 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)

Ferrous Sulfate (7782-63-0)	
LD50 oral rat	1480 mg/kg (Rat)

Copper Sulfate (7758-98-7)	
LD50 oral rat	300 mg/kg (Rat)
LD50 dermal rabbit	> 1000 mg/kg (Rabbit)

Manganese Sulfate (7785-87-7)	
LD50 oral rat	2150 mg/kg (Rat; Experimental value)

Zinc sulfate (7733-02-0)	
LD50 oral rat	1000 - 2000 mg/kg (Rat)

Sodium Borate (1330-43-4)	
LD50 oral rat	> 2000 mg/kg (Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)

Sodium Molybdate (10102-40-6)	
LD50 oral rat	4233 mg/kg (Rat)
LD50 dermal rat	> 2000 mg/kg (Rat)

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Urea (57-13-6)	
LC50 fish 1	> 6810 mg/l (96 h; Leuciscus idus)
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna)
LC50 fish 2	17500 mg/l (96 h; Poecilia reticulata)
EC50 Daphnia 2	> 10000 mg/l (24 h; Daphnia magna)
TLM fish 1	17500 ppm (96 h; Poecilia reticulata)
Threshold limit other aquatic organisms 1	120000 mg/l (16 h; Bacteria; Toxicity test)

Bonide Duraturf Winterizer 12-0-15

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Urea (57-13-6)	
Threshold limit other aquatic organisms 2	> 10000 mg/l (Pseudomonas putida)
Threshold limit algae 2	> 10000 mg/l (168 h; Scenedesmus quadricauda)

Polymer Coated-Sulfur Urea (57-13-6)	
LC50 fish 1	> 6810 mg/l (LC50; 96 h)
EC50 Daphnia 1	> 10000 mg/l (EC50; 48 h)

Ferrous Sulfate (7782-63-0)	
LC50 fish 1	925 mg/l (96 h; Poecilia reticulata)
EC50 Daphnia 1	7.2 mg/l (48 h; Daphnia magna; Metal ion)
LC50 fish 2	> 200 mg/l (48 h; Leuciscus idus)
EC50 Daphnia 2	152 mg/l (48 h; Daphnia magna; Anhydrous form)

Copper Sulfate (7758-98-7)	
LC50 fish 1	0.0199 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Soft water)
EC50 Daphnia 1	0.01 mg/l (48 h; Daphnia magna; Soft water)
LC50 fish 2	0.298 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Hard water)
EC50 Daphnia 2	0.2 mg/l (48 h; Daphnia magna; Hard water)
TLM fish 1	3.8 ppm 24 h; Salmo gairdneri (Oncorhynchus mykiss)
Threshold limit algae 2	1.1 mg/l (Scenedesmus quadricauda)

Manganese Sulfate (7785-87-7)	
LC50 fish 1	2850 mg/l (96 h; Colisa fasciatus; Manganese ion)
EC50 Daphnia 1	8.28 mg/l (48 h; Daphnia magna)
LC50 fish 2	33.8 mg/l (96 h; Pimephales promelas)
EC50 Daphnia 2	10 mg/l (24 h; Daphnia magna)
Threshold limit algae 1	25.7 mg/l (Phaeodactylum; Growth)
Threshold limit algae 2	61 mg/l (72 h; Desmodesmus subspicatus; GLP)

Zinc sulfate (7733-02-0)	
LC50 fish 1	1.7 mg/l (96 h; Poecilia reticulata)
EC50 Daphnia 1	1 mg/l (24 h; Daphnia magna)
LC50 fish 2	2.4 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 Daphnia 2	0.56 mg/l (48 h; Daphnia magna)
Threshold limit algae 1	136 µg/l (72 h; Selenastrum capricornutum; Growth rate)
Threshold limit algae 2	24 µg/l (3 days; Selenastrum capricornutum; Growth rate)

Sodium Borate (1330-43-4)	
LC50 fish 1	100 - 1000 mg/l (96 h; Pisces)
LC50 other aquatic organisms 1	100 - 100 mg/l (96 h)
EC50 Daphnia 1	340 mg/l (24 h; Daphnia magna)
LC50 fish 2	807 mg/l (Leuciscus idus)
TLM fish 1	8200 ppm (48 h; Gambusia affinis)
Threshold limit other aquatic organisms 1	100 - 100,96 h; Protozoa
Threshold limit other aquatic organisms 2	1 mg/l (72 h)
Threshold limit algae 1	47 mg/l (96 h; Scenedesmus subspicatus; Growth)
Threshold limit algae 2	0.58 mg/l (Scenedesmus quadricauda)

12.2. Persistence and degradability

Bonide Duraturf Winterizer 12-0-12	
Persistence and degradability	Not established.

Urea (57-13-6)	
Persistence and degradability	Inherently biodegradable. Hydrolysis in water.
ThOD	0.27 g O ₂ /g substance

Polymer Coated-Sulfur Urea (57-13-6)	
Persistence and degradability	Inherently biodegradable. Hydrolysis in water. No (test) data on mobility of the components available.
ThOD	0.27 g O ₂ /g substance

Bonide Duraturf Winterizer 12-0-15

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Muriate of Potash (7447-40-7)	
Persistence and degradability	Biodegradability in water: no data available. No (test)data on mobility of the components available.

Ferrous Sulfate (7782-63-0)	
Persistence and degradability	Biodegradability in water: no data available. Biodegradability in soil: no data available. Adsorbs into the soil.

Copper Sulfate (7758-98-7)	
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

Manganese Sulfate (7785-87-7)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.
ThOD	Not applicable (inorganic)

Zinc sulfate (7733-02-0)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

Sodium Borate (1330-43-4)	
Persistence and degradability	Biodegradability: not applicable. Biodegradability in soil: not applicable. Adsorbs into the soil.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

Sodium Molybdate (10102-40-6)	
Persistence and degradability	Biodegradability: not applicable. Photolysis in water. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

12.3. Bioaccumulative potential

Bonide Duraturf Winterizer 12-0-12	
Bioaccumulative potential	Not established.

Urea (57-13-6)	
BCF fish 1	1 (72 h; Brachydanio rerio; Fresh water)
BCF other aquatic organisms 1	11700 (Chlorella sp.)
Log Pow	-2.59 - -1.59
Bioaccumulative potential	Bioaccumulation: not applicable.

Polymer Coated-Sulfur Urea (57-13-6)	
BCF fish 1	1 (BCF; 72 h; Brachydanio rerio)
BCF other aquatic organisms 1	117000 (BCF)
Log Pow	-2.59 - -1.59
Bioaccumulative potential	Bioaccumulation: not applicable.

Muriate of Potash (7447-40-7)	
Bioaccumulative potential	No bioaccumulation data available.

Ferrous Sulfate (7782-63-0)	
Bioaccumulative potential	Not bioaccumulative.

Copper Sulfate (7758-98-7)	
Bioaccumulative potential	Bioaccumulative.

Bonide Duraturf Winterizer 12-0-15

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Manganese Sulfate (7785-87-7)	
Bioaccumulative potential	No bioaccumulation data available.
Zinc sulfate (7733-02-0)	
BCF fish 1	59 - 242 (Cyprinus carpio; Test duration: 8 weeks)
Bioaccumulative potential	Bioaccumable.
Sodium Borate (1330-43-4)	
Bioaccumulative potential	Not bioaccumulative.
Sodium Molybdate (10102-40-6)	
BCF fish 1	4.9 (BCF; 28 days; Oncorhynchus tshawytscha; Fresh water)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

12.4. Mobility in soil

Copper Sulfate (7758-98-7)	
Ecology - soil	Toxic to flora.
Sodium Borate (1330-43-4)	
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Not regulated by DOT

SECTION 15: Regulatory information

No additional information available

SECTION 16: Other information

Other information : None.

SDS US (GHS HazCom 2012) - Pesticides

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.